



Press Release

As new global mercury treaty enters into force, worldwide mercury production skyrockets, note Global NGO Coalition on World Environmental Health Day

Geneva, 26 September 2017- As 156 countries convened for the first meeting of the Conference of the Parties to the Minamata Convention, a new UN report shows mercury mining skyrocketing in the last 5 years. Moreover, much of that mercury is used in artisanal and small scale gold mining (ASGM), the largest source of global mercury pollution.

Currently, countries do not have reliable information about trade in neighboring countries and within their own region.

This problem is compounded where borders between countries are “porous,” and a significant portion of trade is informal or illegal.

For example, mercury may enter a region through legal trade to one country, but then be traded illegally across borders to neighboring countries.

“Informal trade is difficult to track, and therefore does not appear in the official trade statistics,” said Elena Lymberidi-Settimo,

Project Manager, Zero Mercury Campaign at the European Environmental Bureau.

“With timely reporting, Parties can better understand mercury flows in order to better enforce trade restrictions in the Convention.”

“In recent years there have been a number of shocks to the global market, resulting in a

doubling of the price of mercury in the last 12 months alone,”
said Michael Bender, Co-coordinator of the Zero Mercury Working Group. “In addition, EU and
US export bans now in place have resulted
in a major shift in the main trading hub to Asia.”

“The emergence over the past five years of new small-scale producers of mercury in Mexico
and Indonesia has made a difficult situation worse,”
said Satish Sinha, Associate Director at Toxics Link in India. “Between these two countries
alone, around 1000 tonnes are produced annually.”

“The main objective of the Minamata Convention is to protect human health and the
environment by, in part, simultaneously
reducing mercury supply and demand,” said Rico Euripidou, Environmental Health Campaign
Manager at groundWork
in South Africa. Without adequate reporting on the global movement of mercury it will
be difficult to monitor the overall effectiveness of the Convention, say NGOs.

“Annual reporting is consistent with the requirements of other environmental conventions such
as Basel and the Montreal Protocol,”
said Leslie Adogame, Executive Director at Sustainable Research and Action for Environmental
Development in Nigeria.

“Legal trade flows must be understood before informal or illegal trade can be adequately
addressed.”

An analysis of publicly available UN COMTRADE data over the period 2013-2016 (see below)
reveals that the majority of global mercury flows
from commodity trading centres (such as Hong Kong, Singapore and the UAE) to developing
country regions (such as Africa and Latin America)
where mercury use in ASGM is prolific in response to the largest global gold rush the world has
ever seen.

see table at the [pdf](#)

[@aol.com](#) "

target="_blank">

mercurypolicy@aol.com

">

mercurypolicy@aol.com

" target="_blank">

mercurypolicy@aol.com

David Lennett, Natural Resources Defense Council, T: +1 202 460 8517 dlennett@nrdc.org "

target="_blank">

dlennett@nrdc.org

">

dlennett@nrdc.org

" target="_blank">

dlennett@nrdc.org

*The **Zero Mercury Working Group** (ZMWG) is an international coalition of over 95 public interest environmental and health non-governmental organizations from more than 50 countries from around the world formed in 2005 by the European Environmental Bureau and the Mercury Policy Project.

ZMWG strives for zero supply, demand, and emissions of mercury from all anthropogenic sources, with the goal of reducing mercury in the global environment to a minimum. Our mission is to advocate and support the adoption and implementation of a legally binding instrument which contains mandatory obligations to eliminate where feasible, and otherwise minimize, the global supply and trade of mercury, the global demand for mercury, anthropogenic releases of mercury to the environment, and human and wildlife exposure to mercury.